



**Safety Data Sheet according to (EC) No 1907/2006**

Page 1 of 9

sds no. : 417231  
V001.0

**Clin Multi-Shine**

Revision: 27.05.2013  
printing date: 30.05.2016

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

Clin Multi-Shine

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Cleansers

**1.3. Details of the supplier of the safety data sheet**

Henkel Magyarország Kft.

Dávid F.u.6.

H-1113 Budapest

Phone: +36 1 372 5555

Fax-no.: (+36-1) 372-5618

biztonsagi.adatlap@hu.henkel.com

**1.4. Emergency telephone number**

In acute cases of poisoning, the emergency number of the central poison information office (tel.: Vienna/406 43 43, around-the-clock) is available.

Henkel Magyarország Kft.

Cím: 1113 Budapest

Dávid F. u. 6

tel.: (+36-1) 372-5555 munkanapokon 06-18h hívható

Magyarországi Egészségügyi Toxikológiai Tájékoztató Szolgálat

(ETTSZ) éjjel-nappal hívható száma: 06 80 201 199

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification according to Directive 1999/45/EC (DPD):**

No environmental classification

No toxicological classification.

**2.2. Label elements**

**Label elements (DPD):**

**Safety phrases:**

S2 Keep out of the reach of children.

S23 Do not breathe gas/fumes/vapour/spray.

S51 Use only in well-ventilated areas.

**2.3. Other hazards**

None if used properly.

**SECTION 3: Composition/information on ingredients****3.1. Substances****3.2. Mixtures****Hazardous substances according to CLP (EC) No 1272/2008:**

Hazardous substances CAS-No.	EINECS	REACH-Reg No.	Content	Classification
Ethanol 64-17-5	200-578-6	01-2119457610-43	>= 1 - < 5 %	Serious eye irritation 2 H319 Flammable liquids 2 H225
Dodecyltrimethylamine oxide 1643-20-5	216-700-6		>= 0,1 - < 1 %	Skin irritation 2; Dermal H315 Serious eye damage/eye irritation 1 H318 Acute hazards to the aquatic environment 1 H400
Sodium N-lauroylsarcosinate 137-16-6	205-281-5		>= 0,1 - < 0,5 %	Acute toxicity 2 H330 Serious eye damage 1 H318 Skin irritation 2 H315

Until 1. June 2015 hazard classification according to Regulation (EC) No 1272/2008 (CLP) for ingredients is provided, if respective information is available already. No information on hazard classification does not imply that the respective ingredient is not classified. If no information on classification according to Regulation (EC) No 1272/2008 (CLP) is provided, please refer to hazard classification according to Directive 67/548/EEC.

For full text of the H - Phrases indicated by codes only see Section 16 "Other information".

**Hazardous substances according to DPD (EC) No 1999/45:**

Hazardous substances CAS-No.	EINECS	REACH-Reg No.	Content	Classification
Ethanol 64-17-5	200-578-6	01-2119457610-43	>= 1 - < 5 %	F - Highly flammable; R11
Dodecyltrimethylamine oxide 1643-20-5	216-700-6		>= 0,1 - < 1 %	N - Dangerous for the environment; R50 Xi - Irritant; R38, R41
Sodium N-lauroylsarcosinate 137-16-6	205-281-5		>= 0,1 - < 0,5 %	Xi - Irritant; R41, R38 T - Toxic; R23

For full text of the R - Phrases indicated by codes only see Section 16 "Other information".

**SECTION 4: First aid measures****4.1. Description of first aid measures**

## General information:

In case of adverse health effects seek medical advice.

## Inhalation:

Move to fresh air. In case of breathing difficulties seek immediate medical advice.

## Skin contact:

Rinse with water. Take off all clothing contaminated by the product.

## Eye contact:

Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.

## Ingestion:

Rinse mouth with water, (only if the person is conscious).

Do not induce vomiting, seek medical advice immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

After inhalation: Irritation of the respiratory tract, coughing. Inhalation of larger amounts may cause laryngospasm with shortness of breath.

After skin contact: Temporary irritation of the skin (redness, swelling, burning).

After eye contact: Temporary irritation of the eyes (redness, swelling, burning, watering eyes).

After ingestion: Ingestion may cause irritation of mouth, throat, digestive tract, diarrhoe and vomiting. Vomit may get into the lungs causing damage (aspiration).

**4.3. Indication of any immediate medical attention and special treatment needed**

After inhalation: No special action.

After skin contact: No special action.

After eye contact: No special action.

After ingestion: Do not induce vomiting. Single administration of a non-carbonated beverage (water or tea).

After ingestion: In case of ingestion of larger or unknown quantities administer a defoamer (Dimeticon or Simenticon).

**SECTION 5: Firefighting measures****5.1. Extinguishing media**

Suitable extinguishing media:

Water spray jet (if possible, avoid full jet). Adapt the fire-fighting measures to the environmental conditions. Commercially available extinguishers are suitable for fighting incipient fires. The product itself does not burn.

**Extinguishing media which must not be used for safety reasons:**

None

**5.2. Special hazards arising from the substance or mixture**

Hazardous combustion products can be formed by pyrolysis and/or carbon monoxide.

**5.3. Advice for firefighters**

Use personal protective equipment and self-contained breathing apparatus.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Avoid contact with skin and eyes.

Ensure adequate ventilation.

Danger of slipping on spilled product.

**6.2. Environmental precautions**

Do not empty into drains / surface water / ground water.

**6.3. Methods and material for containment and cleaning up**

Remove mechanically. Rinse away residue with plenty of water.

**6.4. Reference to other sections**

See advice in chapter 8

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

No special measures required if used properly.

**Hygiene measures:**

Avoid contact with skin and eyes. Remove soiled or soaked clothing immediately. Wash off any contamination that gets onto the skin with plenty of water and soap, skin care.

Protective equipment only required in case of industrial use or for large packs (not for household packs)

**7.2. Conditions for safe storage, including any incompatibilities**

Store dry at between +5 and +40°C.  
Consider national regulations.

**7.3. Specific end use(s)**

Cleansers

**SECTION 8: Exposure controls/personal protection**

Only relevant for professional/industrial use

**8.1. Control parameters**

Valid for  
Hungary

Ingredient	ppm	mg/m <sup>3</sup>	Type	Category	Remarks
Ethyl alcohol 64-17-5		1.900	Time Weighted Average (TWA):		HU OEL
Ethyl alcohol 64-17-5		7.600	Short Term Exposure Limit (STEL):	4x15 minutes/shift	HU OEL
Ethyl alcohol 64-17-5			Category for peak concentration calculation:	IV: Substance of very weak harming (Permissible Average Concentration (TLV ) > 500 ml/m3). Peak concentration is equal to 4 times its Permissible Average Concentration (TLV), for 15 minutes, 4 times per shift.	HU OEL

**8.2. Exposure controls**

Respiratory protection:  
Not needed.

Hand protection:

For the contact with product protective gloves made from Spezial-Nitril (material thickness > 0.1 mm, break through time > 480 min class 6) are recommended according to EN 374. In the case of longer and repeated contact please note that in practice the penetration times may be considerably shorter than those determined according to EN 374. The protective gloves must always be checked for their suitability for use at the specific workplace (e.g. mechanical and thermal stress, antistatic effects, etc.). The gloves must be replaced immediately at the first signs of wear and tear. We recommend to change single-use protective gloves periodically and a hand care plan in cooperation with a glove manufacturer and the trade association in accordance with the local operating conditions.

Eye protection:  
Wear tight fitting goggles.

Skin protection:  
Protective clothing against chemicals. Observe manufacturer's instructions.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

The following data apply to the whole mixture.

Appearance	liquid clear, low viscosity colourless
Odor	fruity
pH (20 °C (68 °F); Conc.: 100,0 % product; Solvent: None)	8,0 - 9,0
Initial boiling point	Not applicable

Flash point	60,5 °C (140.9 °F)
Decomposition temperature	Not applicable
Vapour pressure	Not applicable
Density (20 °C (68 °F))	0,986 - 0,996 g/cm <sup>3</sup>
Bulk density	Not applicable
Viscosity	Not applicable
Viscosity (kinematic)	Not applicable
Explosive properties	Not applicable
Solubility (qualitative)	Not applicable
Solidification temperature	Not applicable
Melting point	Not applicable
Flammability	Not applicable
Auto-ignition temperature	Not applicable
Explosive limits	Not applicable
Partition coefficient: n-octanol/water	Not applicable
Evaporation rate	Not applicable
Vapor density	Not applicable
Oxidising properties	Not applicable

**9.2. Other information**

Not applicable

## SECTION 10: Stability and reactivity

**10.1. Reactivity**

None if used for intended purpose.

**10.2. Chemical stability**

Stable under normal conditions of temperature and pressure.

**10.3. Possibility of hazardous reactions**

See section reactivity

**10.4. Conditions to avoid**

No decomposition if used according to specifications.

**10.5. Incompatible materials**

None if used properly.

**10.6. Hazardous decomposition products**

No decomposition if used according to specifications.

## SECTION 11: Toxicological information

**11.1. Information on toxicological effects****Acute oral toxicity:**

Hazardous substances CAS-No.	Value type	Value	Route of application	Exposure time	Species	Method
Ethanol 64-17-5	LD50	13.700 mg/kg	oral		rat	
Dodecyltrimethylamine oxide 1643-20-5	LD50	> 2.000 mg/kg	oral		rat	OECD Guideline 401 (Acute Oral Toxicity)
Sodium N- lauroylsarcosinate 137-16-6	LD50	> 5.000 mg/kg	oral		rat	OECD Guideline 401 (Acute Oral Toxicity)

**Acute dermal toxicity:**

Hazardous substances CAS-No.	Value type	Value	Route of application	Exposure time	Species	Method
Ethanol 64-17-5	LDLo	20.000 mg/kg	dermal		rabbit	

**Acute inhalative toxicity:**

Hazardous substances CAS-No.	Value type	Value	Route of application	Exposure time	Species	Method
Ethanol 64-17-5	LC50	124,7 mg/l	inhalation	4 h	rat	

**Skin corrosion/irritation:**

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Ethanol 64-17-5	not irritating		rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
Dodecyltrimethylamine oxide 1643-20-5	irritating		rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
Sodium N- lauroylsarcosinate 137-16-6	moderately irritating	24 h	rabbit	

**Serious eye damage/irritation:**

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Ethanol 64-17-5	Category II		rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)
Dodecyltrimethylamine oxide 1643-20-5	highly irritating		rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)

**Respiratory or skin sensitization:**

Hazardous substances CAS-No.	Result	Test type	Species	Method
Ethanol 64-17-5	not sensitising	Guinea pig maximisa- tion test	guinea pig	
Dodecyltrimethylamine oxide 1643-20-5	not sensitising	Buehler test	guinea pig	OECD Guideline 406 (Skin Sensitisation)
Sodium N- lauroylsarcosinate 137-16-6	not sensitising	Guinea pig maximisa- tion test	guinea pig	

**Germ cell mutagenicity:**

Hazardous substances CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
Ethanol 64-17-5	negative	in vitro mammalian chromosome aberration test	without		
	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)

**Repeated dose toxicity**

Hazardous substances CAS-No.	Result Value	Route of application	Exposure time / Frequency of treatment	Species	Method
Dodecyltrimethylamine oxide 1643-20-5	88 mg/kg	oral: feed		rat	OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

## SECTION 12: Ecological information

## 12.1. Toxicity

## Toxicity (Fish):

Hazardous substances CAS-No.	Value type	Value	Acute Toxicity Study	Exposure time	Species	Method
Ethanol 64-17-5	LC50	14,2 g/l	Fish	96 h	Pimephales promelas	OECD Guideline 203 (Fish, Acute Toxicity Test)
Dodecyltrimethylamine oxide 1643-20-5	LC50	10 - 100 mg/l	Fish	96 h	Brachydanio rerio (new name: Danio rerio)	OECD Guideline 203 (Fish, Acute Toxicity Test)
Sodium N-lauroylsarcosinate 137-16-6	LC50	> 30 mg/l	Fish	96 h	Brachydanio rerio (new name: Danio rerio)	OECD Guideline 203 (Fish, Acute Toxicity Test)

## Toxicity (Daphnia):

Hazardous substances CAS-No.	Value type	Value	Acute Toxicity Study	Exposure time	Species	Method
Ethanol 64-17-5	EC50	9.268 - 14.221 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Dodecyltrimethylamine oxide 1643-20-5	EC50	10,4 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Sodium N-lauroylsarcosinate 137-16-6	EC50	> 75 mg/l	Daphnia	24 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

## Toxicity (Algae):

Hazardous substances CAS-No.	Value type	Value	Acute Toxicity Study	Exposure time	Species	Method
Ethanol 64-17-5	EC50	> 5.000 mg/l	Algae	7 d	Scenedesmus quadricauda	OECD Guideline 201 (Alga, Growth Inhibition Test)
Dodecyltrimethylamine oxide 1643-20-5	EC50	0,82 mg/l	Algae	72 h	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)	OECD Guideline 201 (Alga, Growth Inhibition Test)

## 12.2. Persistence and degradability

Hazardous substances CAS-No.	ResultValue	Route of application	Species	Method
Ethanol 64-17-5	readily biodegradable	aerobic	80 - 85 %	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)
Dodecyltrimethylamine oxide 1643-20-5	readily biodegradable	aerobic	82 %	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)
Sodium N-lauroylsarcosinate 137-16-6	readily biodegradable		90,9 %	OECD Guideline 301 E (Ready biodegradability: Modified OECD Screening Test)

## 12.3. Bioaccumulative potential

Does not bioaccumulate.

## 12.4. Mobility in soil

Hazardous substances CAS-No.	LogKow	Bioconcentration factor (BCF)	Exposure time	Species	Method
------------------------------	--------	-------------------------------	---------------	---------	--------

Ethanol 64-17-5	-0,31				
Sodium N-lauroylsarcosinate 137-16-6	0,37				

### 12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or vPvB.

### 12.6. Other adverse effects

Other adverse effects of this product for the environment are not known to us.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product disposal:

Dispose of in accordance with local and national regulations.

Disposal of uncleaned packages:

Only completely empty containers are to be disposed of as recoverable materials.

## SECTION 14: Transport information

### 14.1. UN number

Not hazardous according to RID, ADR, ADNR, IMDG, IATA-DGR.

### 14.2. UN proper shipping name

Not hazardous according to RID, ADR, ADNR, IMDG, IATA-DGR.

### 14.3. Transport hazard class(es)

Not hazardous according to RID, ADR, ADNR, IMDG, IATA-DGR.

### 14.4. Packaging group

Not hazardous according to RID, ADR, ADNR, IMDG, IATA-DGR.

### 14.5. Environmental hazards

Not hazardous according to RID, ADR, ADNR, IMDG, IATA-DGR.

### 14.6. Special precautions for user

Not hazardous according to RID, ADR, ADNR, IMDG, IATA-DGR.

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



## Declaration of ingredients according to Detergent Regulation 648/2004/EC

Further ingredients	Perfumes Limonene preservation agents Benzisothiazolinone Methylisothiazolinone
---------------------	---

### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

## SECTION 16: Other information

The labelling of the product is indicated in Section 2. The full text of all abbreviations indicated by codes in this safety data sheet are as follows:

R11 Highly flammable.  
R23 Toxic by inhalation.  
R38 Irritating to skin.  
R41 Risk of serious damage to eyes.  
R50 Very toxic to aquatic organisms.

H225 Highly flammable liquid and vapor.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H330 Fatal if inhaled.  
H400 Very toxic to aquatic life.

### Further information:

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.